# Sainfoin - Foundation, Registered and Certified Production

# **General Requirements for All Pedigreed Seed Crops**

The basic standards for all crops are set out in <u>General Requirements for All Pedigreed Seed Crops</u>. In addition, the following standards apply to Sainfoin.

### Land Requirements\*

Inspected Crop	Must NOT be grown on land which:
Foundation	<ul> <li>In any of the 5 years prior to the year of seeding produced:</li> <li>a non-pedigreed crop of Sainfoin.</li> <li>a different variety of Sainfoin.</li> <li>In any of the 3 years prior to the year of seeding produced:</li> <li>a pedigreed crop of the same variety.</li> </ul>
Registered	In any of the 3 years prior to the year of seeding produced:  • a crop of Sainfoin
Certified	In any of the 2 years prior to the year of seeding produced:  • a crop of Sainfoin.

<sup>\*</sup>Except where chemical control measures acceptable to the CSGA have been taken to eradicate growth from a previous crop of Sainfoin.

## **Crop Inspection**

Sainfoin crops must be inspected when the crop is in bloom and before harvest.

#### **Age of Stand**

The maximum number of years pedigreed seed can be produced from a stand of Sainfoin established with Breeder or Foundation seed is outlined below. The class that can be produced from a stand varies with the class used to establish the crop, the classes of seed through which a given variety may be multiplied and the number of years the stand has been in production.

When crop is established with:					
Breeder seed of a variety without a Registered class	Breeder seed of a variety with a Registered class	Foundation seed of a variety without a Registered class	Foundation seed of a variety with a Registered class		
Foundation Certified	Foundation Registered	Certified	Registered Certified		
5 yrs. + 0	5 yrs. + 0	5 yrs.	5 yrs. + 0		

## **Crop Standards**

#### **Isolation**

The isolation must be reasonably free from plants that may cross pollinate with the inspected crop. The risk to varietal purity posed by plants that may cross pollinate varies depending on area, density, stage of maturity and distance from the inspected crop. These factors will be taken into consideration in determining the pedigreed status of the inspected crop.

Minimum Isolation Distances Required from an Inspected Crop to Other Crops:

Varietal Purity

 Inspected pedigreed Sainfoin of same variety and class
 1 meter (3 feet)

b. Inspected pedigreed Sainfoin of same variety, different class
 c. Different varieties of Sainfoin or non-pedigreed Sainfoin
 Table below

Area of Inspected Crop	Minimum Isolation Distance			
	Foundation	Registered	Certified	
5 acres or less	300 m (984 ft)	150 m (492 ft)	50 m (164 ft)	
More than 5 acres	200 m (656 ft)	100 m (328 ft)	50 m (164 ft)	

#### 2. Mechanical Purity

a. Barley, Oats, Wheat

#### Distance

3 meters (10 feet)

#### **Maximum Impurity Standards**

- 1. Varietal Purity (off-types/other varieties on average in either 10 or 100 m2)
  - a. Foundation 3 plants/100 m<sup>2</sup>
  - b. Registered 1 plant/10 m<sup>2</sup>
  - c. Certified 1 plant/10 m<sup>2</sup>
- 2. Mechanical Purity (other crop kinds, the seeds of which are difficult to separate from the seeds of the inspected crop on average in either 10 or 100 m<sup>2</sup>; for Sainfoin that includes Barley, Oats and Wheat)
  - a. Foundation 3 plants/100 m<sup>2</sup>
  - b. Registered 1 plant/10 m<sup>2</sup>
  - c. Certified 1 plant/10 m<sup>2</sup>